



Natural Resources Conservation Service  
**Wetland Science  
Institute**

# **DRAINMOD REFERENCE REPORT**

This pdf download file is a scanned image of the report.

Pages are images, not text.

OCR has not been performed.

## References

- Anat, A., H. R. Duke and A. T. Corey. Steady upward flow from water tables. Hydrology Paper No. 7. Colorado State University, Fort Collins, Colorado.
- Alberts, R. R., E. H. Stewart, and J. S. Rogers. 1971. Ground water recession in modified profiles of Florida Flatwood soils. Soil and Crop Science Soc. of Florida Proceedings 31:216-217.
- Allmaras, R. R., A. L. Black and R. W. Rickman. 1973. Tillage, soil environment and root growth. Proceedings of the National Conservation Tillage Conference, Des Moines, Iowa, pp. 62-86.
- Bauer, L. D., W. H. Gardner, and W. R. Gardner. 1972. Soil Physics, 4 Ed., John Wiley & Sons, N. Y.
- Blaney, H. F. and W. D. Criddle. 1947. A method of estimating water requirements in irrigated areas from climatological data. USDA Soil Conservation Service Report (revised).
- Bloodworth, M. E., C. A. Burleson and W. R. Cowley. 1958. Root distribution of some irrigated crops using undisturbed soil cores. Agronomy Journal, Vol. 50:317-320.
- Boast, C. W. and Don Kirkham. 1971. Auger hole seepage theory. Soil Sci. Soc. Am. Proc. 35:365-374.
- Bouwer, H. 1963. Theoretical effect of unequal water levels on the infiltration rate determined with buffered cylindrical infiltrometers. Journal of Hydrology 1:29-34.
- Bouwer, H. 1964. Measuring horizontal and vertical hydraulic conductivity of soil with the double-tube method. Soil Sci. Soc. Am. Proc. 28:19-23.
- Bouwer, H. 1966. Rapid field measurement of air-entry value and hydraulic conductivity of soil as significant parameters in flow system analysis. Water Resour. Res. 2:729-738.
- Bouwer, H. 1969. Infiltration of water into nonuniform soil. J. Irrigation and Drainage Division, ASCE. 95(IR4):451-462.
- Bouwer, H. 1974. Developing drainage design criteria. Ch. 5 in Drainage for Agriculture, J. van Schilfgaarde, ed., American Society of Agronomy, Madison, WI.
- Bouwer, H. and R. D. Jackson. 1974. Determining soil properties, pp. 611-672, In, Drainage for Agriculture, J. van Schilfgaarde, (ed.), American Society of Agronomy, Madison, WI.
- Bouwer, H. and J. van Schilfgaarde. 1963. Simplified method of predicting the fall of water table in drained land. Transactions of the ASAE 6(4):288-291, 296.
- Brakensiek, D. L. 1977. Estimating the effective capillary pressure in the Green-Ampt infiltration equation. Water Resour. Res. 13(3):680-682.

- Brakensiek, D. L. 1979. Comments on Empirical equations for some soil hydraulic properties by R. C. Clapp and G. M. Hornberger. Water Resources Research 15(4):989-990.
- Brakensiek, D. L., R. L. Engleman and W. J. Rawls. 1980. Variation within texture classes of soil water parameters. ASAE Paper No. 80-2006. Presented at the 1980 Summer ASAE meeting, San Antonio, Tx.
- Brakensiek, D. L. and C. Onstad. 1977. Parameter estimation of the Green and Ampt infiltration equation. Water Resources Research 13(6):1009-1012.
- Bravo, N. J. and G. O. Schwab. 1977. Effect of openings on inflow into corrugated drains. Transactions of the ASAE, 20(1):100-104.
- Brooks, R. H. and A. T. Corey. 1964. Hydraulic properties of porous media, Hydrology Paper No. 3. Colorado State University, Fort Collins.
- Cambell, G. S. 1974. A simple method for determining unsaturated conductivity from moisture retention data. Soil Sci. 117(6):311-314.
- Chiang, S. T., R. S. Broughton and N. Foroud. 1978. Drainage rates and water table depths. Journal of Irrigation and Drainage Division of the ASCE, Vol. 104 (IR4):413-433.
- Childs, E. C. and M. Bybordi. 1969. The vertical movement of water in stratified porous material - I. Infiltration. Water Resour. Res. 5(2):446-459.
- Childs, E. C., A. H. Cole, and D. H. Edwards. 1953. The measurement of the hydraulic permeability of saturated soils in situ. II. Proc. Roy. Soc. London 216:72-89. (as reviewed by Luthin, 1957).
- Clapp, R. B. and G. M. Hornberger. 1978. Empirical equations for some soil hydraulic properties. Water Resources Res. 14(4):601-604.
- Clinton, F. M. 1948. Invisible Irrigation on Egin Bench. Reclamation Era, Vol. 34, pp. 182-184.
- Danielson, R. E. 1967. Root systems in relation to irrigation. Agron., Vol. 11:390-424.
- Dennis, C. W. and B. D. Trafford. 1975. The effect of permeable surrounds on the performance of clay field drainage pipes. Journal of Hydrology, Vol. 24:239-249.
- Dixon, R. M. and A. E. Peterson. 1964. Construction and operation of a modified spray infiltrometer and a flood infiltrometer. Research Report 15, Experiment Station, University of Wisconsin, Madison.
- Duke, H. R. 1972. Capillary properties of soils - influence upon specific yield. Transactions of the ASAE, 15(4):688-691.

- Dylla, A. S. and J. C. Guitjens. 1970. Hydraulic conductivity sampling for confidence. *Transactions of the ASAE*, 13(4):485-488.
- Ernst, L. F. 1975. Formulae for groundwater flow in areas with subirrigation by means of open conduits with a raised water level. *Misc. Reprint 178*, Institute for Land and Water Management Research, Wageningen, The Netherlands. 32 pp.
- FAO. 1972. Drainage Materials; Irrigation and Drainage Paper No. 9. Food and Agricultural Organization of the United Nations; Water Resources and Development Series; Land and Water Development Division. pp 55-84.
- Fausey, N. R. 1975. Numerical model analysis and field study of shallow subsurface drainage. Ph.D. thesis, Ohio State University, Columbus.
- Fausey, N. R. and G. O. Schwab. 1969. Soil moisture content, tilth, and soybean (*glycine max.*) response with surface and subsurface drainage. *Agron. J.*, 61:554-557.
- Foth, H. D. 1962. Root and top growth of corn. *Agron. J.*, 54:39-52.
- Fox, R. L., J. T. Phelan and W. D. Criddle. 1956. Design of sub-irrigation systems. *Agricultural Engineering* 37(2):103-107.
- Freeze, R. A. 1971. Three-dimensional, transient, saturated-unsaturated flow in a groundwater basin. *Water Resour. Res.*, 7:347-366.
- Gardner, W. R. 1958. Some steady solutions of the unsaturated moisture flow equation with application to evaporation from a water table. *Soil Sci.* 85:228-232.
- Gayle, G. A. and R. W. Skaggs. 1978. Surface storage on bedded cultivated lands. *Transactions of the ASAE*, Vol. 21(1):102-104, 109.
- Gilliam, J. W., R. W. Skaggs and S. B. Weed. 1978. An evaluation of the potential for using drainage control to reduce nitrate loss from agricultural fields to surface waters. Report No. 28, Water Resources Research Institute of UNC, N.C. State University, Raleigh, N.C. 27650.
- Goins, T., J. Lunin and H. L. Worley. 1966. Water table effects on the growth of tomatoes, snap beans and sweet corn. *Transactions of the ASAE*, 9(4):530-533.
- Green, W. H. and G. Ampt. 1911. Studies of soil physics, part I. - the flow of air and water through soils. *J. Agricultural Science*, 4:1-24.
- Hadas, A., D. Swartzendruber, P. E. Rijtema, M. Fuchs and B. Yaron. Physical aspects of soil water and salts in ecosystems. Springer-Verlag, New York.
- Haise, H. R., W. W. Donnan, J. T. Phelan, L. F. Lawhon, and D. G. Shockley. 1956. The use of cylinder infiltrometers to determine the intake characteristics of irrigated soils. USDA Publication ARS 41-7.
- Hammond, L. C., V. W. Carlisle, and J.S. Rogers. 1971. Physical and mineralogical characteristics of soils in the SWAP experimental site at Fort Pierce, Florida. *Soil and Crop Science Soc. of Florida Proceedings* 31:210- 214.

- Hall, H. W. 1976. Reservoir water losses as affected by ground-water mounds. ASAE Paper No. 76-2021. Presented at the 1976 Annual ASAE meeting, Lincoln, Nebraska.
- Hiler, E. A. 1969. Quantitative evaluation of crop-drainage requirements. Transactions of the ASAE, 12(3):499-505.
- Hillel, D. 1971. Soil and water - Physical principles and processes. Academic Press, New York.
- Hillel, D. and W. R. Gardner. 1969. Steady infiltration into crust topped profiles. Soil Science, 108:137-142.
- Hoffman, G. J. and G. O. Schwab. 1964. Tile spacing prediction based on drain outflow. Transactions of the ASAE, 7:444-447.
- Holton, H. N. and N. R. Creitz. 1967. Influence of soils, vegetation and geomorphology on elements of the flood hydrograph. Proc. Symposium on Floods and their Computation, Leningrad, Russia.
- Holton, H. N., C. B. England, G. P. Lawless, and G. A. Schumaker. 1968. Moisture tension data for selected soils on experimental watersheds. USDA, ARS Bulletin RS 41-144.
- Holton, H. N., C. B. England and V. O. Shanholtz. 1967. Concepts in hydrologic soil grouping. Transactions of the ASAE, 10(3):407-410.
- Hore, F. R. 1959. Piezometer method in Ontario. Agricultural Engineering, 40 (15):272.
- Horton, R. E. 1939. Analysis of runoff plot experiments with varying infiltration capacity. Trans. Am. Geophys. Union, Part IV: 693-694.
- Howell, T. A., E. A. Hiler, O. Zokzzi and C. J. Ravelo. 1976. Grain sorghum response to inundation at three growth stages. Transactions of the ASAE, 19(5):876-880.
- Jackson, Ray D. 1972. On the calculation of hydraulic conductivity. Soil Sci. Soc. Am. Proc. 36:380-372.
- Jensen, M. E., H. R. Haise and R. Howard. 1963. Estimating evapotranspiration from solar radiation. Journal of the Irrigation and Drainage Division, ASCE, 89(IR4):15-41.
- Kirkham, D. 1946. Proposed method for field measurement of permeability of soil below the water table. Soil Sci. Soc. Am. Proc. 10:58-68.
- Kirkham, Don. 1950. Potential flow into circumferential openings in drain tubes. Journal of Applied Physics. pp. 665-660.
- Kirkham, Don and G. O. Schwab. 1951. The effect of circular perforations on flow into subsurface drain tubes Part I. Theory. Agricultural Engineering, 32:211-214.

- Kirkham, D. 1955. Measurement of the hydraulic conductivity of soil in place. Symposium on permeability of soils. Am. Soc. Mat. Spec. Tech. Pub. 163:80-97. (as reviewed by Luthin, 1957).
- Kirkham, D. 1957. Theory of land drainage, In , Drainage of Agricultural Lands, Agronomy Monograph No. 7, American Society of Agronomy, Madison, Wisconsin.
- Kirkham, D. and M. S. Selin. 1973. Theory of a rectangular gravel envelope in drainage design. Soil Science Society of America Proceedings, 37(4):517-521.
- Knippling, E. B. and L. C. Hammond. 1971. The SWAP study of soil water management for citrus on flatwoods soils in Florida. Soil and Crop Science Soc. of Florida Proceedings 31:205-210.
- Kunze, R. J., G. Uehara, and K. Graham. 1968. Factors important in the calculation of hydraulic conductivity. Soil Sci. Soc. Am. Proc. 32:760-765.
- Lagace', R. 1973. Modele de comportement des nappes en sol agricole. Genie Rural - Laval, Vol. 5(4):26-35.
- Lambert, J. R. and D. N. Baker. 1979. Rhizos: a computer simulation of processes in the root zone of growing row crops. South Carolina Agricultural Experiment Station Bulletin, In press.
- McGuinness, J. L. and E. F. Borden. 1972. A comparison of lysimeter-derived potential evapotranspiration with computed values. USDA Technical Bulletin 1452:71 pp.
- McWhorter, D. B. 1971. Infiltration affected by flow of air. Hydrology Paper No. 49. Colorado State Univ., Fort Collins.
- McWhorter, D. B. 1976. Vertical flow of air and water with a flux boundary condition. Transactions of the ASAE, 19(2):259-261, 265.
- Mein, R. G. and C. L. Larson. 1973. Modeling infiltration during a steady rain. Water Resour. Res., 9(2):384-394.
- Mengel, D. B. and S. A. Barber. 1974. Development and distribution of the corn root system under field conditions. Agronomy Journal, 66:341-344.
- Michener, D. W., G. O. Schwab, R. W. Skaggs, J. D. Gordos, and C. J. Closky. 1978. Subsurface drain spacing from water table and outflow measurements. ASAE Paper No. 78-2536 presented at the 1978 Winter ASAE Meeting, Chicago.
- Millington, R. J. and J. P. Quirk. 1960. Permeability of porous solids. Transactions Faraday Society, 57:1200-1207.

- Mohammad, F. S. 1978. Evaluation of methods for predicting potential evapotranspiration in humid regions. M.S. Thesis. Dept. of Biological and Agricultural Engineering, N. C. State University, Raleigh, N.C.
- Moody, W. T. 1966. Nonlinear differential equation of drain spacing. *Journal of the Irrigation and Drainage Division, ASCE*, 92(IR2):1-9.
- Morel-Seytoux, H. J. 1973. Two phase flows in porous media. *Advances in Hydroscience*, 9:119-202.
- Morel-Seytoux, H. J. and J. Khanji. 1974. Derivation of an equation of infiltration. *Water Resources Research*, 10(4):795-800.
- Norero, A. L. 1969. A formula to express evapotranspiration as a function of soil moisture and evaporative demands of the atmosphere. Ph.D. Diss. Utah State University, Logan, Utah. Ann Arbor, Michigan: University Microfilms, Inc.
- Parr, J. F. and A. R. Bertrand. 1960. Water infiltration into soils. *Advances in Agronomy*. 12:311-363.
- Penman, H. L. 1948. Natural evaporation from open water, bare soil and grass. Royal Society of London, Proc., Ser. A, 193:120-145.
- Penman, H. L. 1956. Evaporation - an introductory survey. *Netherlands Journal of Agricultural Science*, 4:9-29.
- Philip, J. R. 1957d. The theory of infiltration: 4. Sorptivity and algebraic infiltration equations. *Soil Sci.*, 84:257-264.
- Philip, J. R. 1969. Theory of infiltration. *Advances in Hydro-science*, 5:215-296.
- Ravelo, C. J. 1977. A rational approach for incorporating crop needs into drainage system design. Ph.D. thesis, Agricultural Engineering Department, Texas A & M University, College Station, Texas.
- Rawls, W. and D. Brakensiek. 1979. Personal correspondence with W. Rawls, USDA, SEA-AR.
- Reeves, M. and E. E. Miller. 1975. Estimating infiltration for erratic rainfall. *Water Resour. Res.*, 11(1):102-110.
- Renfro, George, Jr. 1955. Applying water under the surface of the ground. Yearbook of Agriculture, USDA, pp. 273-278.
- Richards, L. A. 1965. Physical conditions of water in soil. In, Methods of Soil Analysis I. Am. Soc. Agron. Monogr. 9. pp. 128-151.
- Raats, P. A. and W. R. Gardner. 1974. Water Movement in the Unsaturated Zone. Ch. 13. In: Drainage for Agriculture, J. van Schilfgaarde, ed. Agronomy Monograph No. American Society of Agronomy, Madison, WI. pp. 311-357.

- Rogers, J. S., C. L. Simmons, and L. C. Hammond. 1971. Drainage characteristics of Oldsmar sand simulated on a resistance network. Soil and Crop Science Soc. of Florida Proceedings 31:218-220.
- Rogers, J. S. and E. H. Stewart. 1972. Water table behavior during 1972 at the Ft. Pierce SWAP site. Soil and Crop Science Soc. of Florida Proceedings 32:1-5-107.
- Rogers, J. S. and E. H. Stewart. 1976. Watertable elevation - drain outflow relationships in a mixed and unmixed Spodosol. Soil and Crop Science Soc. of Florida Proceedings 36:94-96.
- Schwab, G. O. and J. L. Fouss. 1967. Tile flow and surface runoff for drainage systems with corn and grass cover. Transactions of the ASAE, 10(4): 492-493, 496.
- Schwab, G. O. and T. J. Thiel. 1963. Hydrologic characteristics of tile and surface drainage systems with grass cover. Transactions of the ASAE, 6(2): 89-92.
- Schwab, G. O., N. R. Fausey and D. W. Michener. 1974. Comparison of drainage methods in a heavy textured soil. Transactions of the ASAE, 17(3):424, 425, 428.
- Schwab, G. O., N. R. Fausey and C. R. Weaver. 1975. Tile and surface drainage of clay soils. II. Hydrologic performance with field crops (1962-72). III. Corn, oats, and soybean yields (1962-72). Research Bulletin 1081, Ohio Agricultural Experiment Station, Wooster, OH.
- Schwab, G. O., T. J. Thiel, G. S. Taylor and J. L. Fouss. 1963. Tile and surface drainage of clay soils I. Hydrologic performance with grass cover. Research Bulletin 935, Ohio Agricultural Experiment Station, Wooster, Ohio.
- Schwab, G. O. and Don Kirkham. 1951. The effect of circular perforations on flow into subsurface drain tubes Part II. Experiments and results. Agricultural Engineering, 32:270-274.
- Shady, A. M., R. S. Broughton, Y. Bernier, U. Delisle, and G. Sylvestre. 1976. Experience with production scale field measurements of hydraulic conductivity. Proceedings of Third National Drainage Symposium, ASAE Pub. 77-1:112-116.
- Sieben, W. J. 1964. Het verban tussen ontwatering en opbrengst bij de jonge zavelgronden in de Noordoostpolder. Van Zee tot Land. 40, Tjeenk Willink V, Zwolle, The Netherlands. (as cited by Wesseling, 1974).

Skaggs, R. W. 1973. 1973 Water table movement during subirrigation. Transactions of the ASAE, Vol. 16(5):988-993.

Skaggs, R. W. 1974. The effect of surface drainage on water table response to rainfall. Transactions of the ASAE, 17(3):406-411.

Skaggs, R. W. 1975. A water management model for high water table soils. ASAE Paper No. 75-2524, ASAE, St. Joseph, MI 49085.

Skaggs, R. W. 1975. Drawdown solutions for simultaneous drainage and ET. Journal of Irrigation and Drainage Division, ASCE, Vol. 101(IR4):279-291.

Skaggs, R. W. 1976. Determination of the hydraulic conductivity-drainable porosity ratio from water table measurements. Transactions of the ASAE, 19(1):73-80, 84.

Skaggs, R. W. 1977. Evaluation of drainage-water table control systems using a water management model. Proceedings of the Third National Drainage Symposium, ASAE Publication, 1-77, pp. 61-68.

Skaggs, R. W. 1978a. Effect of drain tube openings on water table drawdown. Journal of the Irrigation and Drainage Division, ASCE, Vol. 104(IR1):13-21.

Skaggs, R. W. 1978b. A water management model for shallow water table soils. Technical Report No. 134 of the Water Resources Research Institute of the University of North Carolina, N. C. State University, 124 Riddick Building, Raleigh, N.C. 27650.

Skaggs, R. W. 1978c. Analysis of combination surface-subsurface drainage systems for humid region soils. ASAE Paper No. 78-2541 presented at the 1978 Winter Meeting of the ASAE, Chicago, Ill., 16 pp.

Skaggs, R. W. 1979. Factors affecting hydraulic conductivity determinations from drawdown measurements. ASAE Paper No. 79-2075 presented at the 1979 Summer Meeting of the ASAE, Winnipeg, Canada.

Skaggs, R. W. and G. J. Kriz. 1972. Water table control and subsurface irrigation in mineral and high organic coastal plains soils. Report No. 67. Water Resources Research Institute, N.C. State University, Raleigh, N.C. 27650.

Skaggs, R. W., D. E. Miller and R. H. Brooks. 1979. Soil Water, Part I - Properties. Chapter 4 in ASAE Monograph Design of Farm Irrigation Systems, In press.

- Skaggs, R. W., E. J. Monke, G. H. Foster, and L. F. Huggins. 1969. Experimental evaluation of infiltration equations. *Transactions of the ASAE*. 12(6):822-828.
- Skaggs, R. W. and Y. K. Tang. 1976. Saturated and unsaturated flow to parallel drains. *Journal of Irrigation and Drainage Division of ASCE*, Vol. 102(IR2):221-238.
- Skaggs, R. W. and Y. K. Tang. 1978. Effect of drain diameter, openings and envelopes on water table drawdown. *Transactions of the ASAE*, accepted for publication, In press.
- Skaggs, R. W., L. G. Wells and S. R. Ghate. 1978. Predicted and measured drainable porosities for field soils. *Transactions of the ASAE*, Vol. 21(3):522-528.
- Smith, R. E. 1972. The infiltration envelope: Results from a theoretical infiltrometer. *Journal of Hydrology*, 17:1-21.
- Smith, R. E. 1976. Approximations for vertical infiltration rate patterns. *Transactions of the ASAE*, 19(3):505-509.
- Snell, A. W. and J. van Schilfgaarde. 1964. Four well method of measuring hydraulic conductivity in saturated soils. *Transactions of the ASAE*, 7(1): 82-87, 91.
- Stevens, J. C. and E. H. Stewart. 1963. A comparison of procedures for computing evaporation and evapotranspiration. Publ. 62, Intl. Assoc. Sci. Hydrol., Intl. Union of Geod. and Geophys., Berkeley, Calif., pp. 123-133.
- Stewart, E. H. and R. R. Alberts. 1971. Rate of subsurface drainage as influenced by groundwater level in modified profiles of Florida Flatwood soils. *Soil and Crop Science Soc. of Florida Proceedings* 31:214-215.
- Sudar, R. A., K. E. Saxton and R. G. Spomer. 1979. A predictive model of water stress in corn and soybeans. ASAE Paper No. 79-2004 presented at the joint meeting of ASAE and CSAE, Winnipeg, Canada, June 24-27.
- Tang, Y. K. and R. W. Skaggs. 1978. Subsurface drainage in soils with high hydraulic conductivity layers. *Transactions of the ASAE*, Vol. 21(3):515-521.
- Tanner, C. B. and D. E. Elrick. 1958. Volumetric porous (pressure) plate apparatus for moisture hysteresis measurements. *Soil Sci. Soc. Am. Proc.* 22:575-576.
- Taylor, G.S., T. Goins, and N. Holowaychuk. 1961. Drainage characteristics of Toledo and Hoytville soils. *Res. Bull. 876, Ohio Agr. Exp. Sta.*
- Taylor, S. A. and G. L. Ashcroft. 1972. *Physical Edaphology*. W. H. Freeman and Co. San Francisco.

- Thorntwaite, C. W. 1948. An approach toward a rational classification of climate. *Geog. Rev.*, 38:55-94.
- Thorntwaite, C. W. and J. R. Mather. 1957. Instructions and tables for computing potential evapotranspiration and the water balance. In Climatology. Drexel Inst. of Tech., Vol. 10(3): 185-311.
- Tovey, R. and C. H. Pair. 1966. Measurement of intake rate for a sprinkler irrigation design. *Transactions of the ASAE* 9:359, 363.
- Turc, L. 1961. Evaluation des Besoins. En eau J' Irrigation Evapotranspiration potentielle. (Cited by McGuinness and Bordon, 1972).
- Van Bavel, C.H.M. 1966. Potential evaporation: the combination concept and its experimental verification. *Water Resources Research*, 2(3):455-467.
- van Bavel, C. H. M. and D. Kirkham. 1949. Field measurement of soil permeability using auger holes. *Soil Sci. Soc. Am. Proc.* 13:90-96.
- van Beers, W.F.J. 1976. Computing drain spacings. Bulletin 15. International institute for land reclamation and improvement/ILRI, P. O. Box 45, Wageningen, The Netherlands.
- van Schilfgaarde, J. 1965. Transient design of drainage systems. *Journal of the Irrigation and Drainage Division, ASCE*, 91(IR3): 9-22.
- van Schilfgaarde, J. 1970. Theory of flow to drains. *Advances in Hydroscience*, 6:43-106.
- van Schilfgaarde, J. 1974. Nonsteady flow to drains. In Drainage for Agriculture, J. van Schilfgaarde, ed. American Society of Agronomy, Madison, WI. pp 245-270.
- Wells, L. G. and R. W. Skaggs. 1976. Upward water movement in field cores. *Transactions of the ASAE*, 9(2):275-283.
- Wendte, L. W. 1975. Timelines benefit of subsurface drainage. M S. Thesis, Department of Agricultural Engineering, University of Illinois, Urbana, IL.
- Wesseling, J. 1974. Crop growth and wet soils. Ch. 2 in Drainage for Agriculture, J. van Schilfgaarde, ed., American Society of Agronomy, Madison, WI.
- Whisler, F. D. and A. Klute. 1967. Rainfall infiltration into a vertical soil column. *Transactions of the ASAE*, 10(2):391-395.

Whisler, F. D., A. Klute and R. J. Millington. 1968. Analysis of steady-state evapotranspiration from a soil column. Soil Science Society of America Proceedings, 32(2):167-174.

Williamson, R. E. and G. J. Kriz. 1970. Response of agricultural crops to flooding, depth of water table and soil gaseous composition. Transactions of the ASAE, 13(1):216-220.

Wiser, E. H. 1975. HISARS - Hydrologic information storage and retrieval system, Reference Manual, North Carolina Agricultural Experiment Station Tech. Bull. No. 215, 218 pages.

Wiser, E. H. 1972. HISARS Reference Manual. Report No. 66 of the Water Resources Research Institute of the University of North Carolina, Raleigh, N.C.

Wiser, E. H., R. C. Ward and J. A. Link. 1974. Optimized design of a subsurface drainage system. Transactions of the ASAE, 17(1): 175-178.

Wooding, R. 1968. Steady infiltration from a shallow circular pond. Water Resources Res. 4:1259-1273.

Young, T. C. and J. T. Ligon. 1972. Water table and soil moisture probabilities with tile drainage. Transactions of the ASAE, 15(3):448-451.